

## Coding for Miscarriage Management

### ICD-10 codes for routine early pregnancy loss

- [O03](#) Spontaneous abortion
- [O03.0](#) Genital tract and pelvic infection following incomplete spontaneous abortion
- [O03.1](#) Delayed or excessive hemorrhage following incomplete spontaneous abortion
- [O03.2](#) Embolism following incomplete spontaneous abortion
- [O03.3](#) Other and unspecified complications following incomplete spontaneous abortion
- [O03.4](#) Incomplete spontaneous abortion without complication
- [O03.5](#) Genital tract and pelvic infection following complete or unspecified spontaneous abortion
- [O03.6](#) Delayed or excessive hemorrhage following complete or unspecified spontaneous abortion
- [O03.7](#) Embolism following complete or unspecified spontaneous abortion
- [O03.8](#) Other and unspecified complications following complete or unspecified spontaneous abortion
- [O03.9](#) Complete or unspecified spontaneous abortion without complications

### ICD-10 codes for other abnormal products of conception

- [O02](#) Other abnormal products of conception
- [O02.0](#) Blighted ovum (anembryonic pregnancy) and nonhydatidiform mole
- [O02.1](#) Missed abortion (embryonic demise)
- [O02.8](#) Other specified abnormal products of conception
- [O02.81](#) Inappropriate change in quantitative human chorionic gonadotropin
- [O02.89](#) Other abnormal products of conception
- [O02.9](#) Abnormal product of conception, unspecified

### ICD-10 codes for molar pregnancy

- [O01](#) Hydatidiform mole
- [O01.0](#) Classical hydatidiform mole
- [O01.1](#) Incomplete and partial hydatidiform mole
- [O01.9](#) Hydatidiform mole, unspecified

### ICD-10 codes for ectopic pregnancy

- [O00](#) Ectopic pregnancy
- [O00.0](#) Abdominal pregnancy
- [O00.1](#) Tubal pregnancy
- [O00.2](#) Ovarian pregnancy
- [O00.8](#) Other ectopic pregnancy
- [O00.9](#) Ectopic pregnancy, unspecified

## **HCPCS S Medication Codes**

Healthcare facilities should bill the ICD-10 code with the S codes to be reimbursed for medications. The most common codes for EPL involving medications are [002.0](#) and [002.1](#).

- [S0190](#) Mifepristone, oral, 200 mg
- [S0191](#) Misoprostol, oral 200 mcg (x 4)

## **E&M codes**

**Expectant:** E/M code (likely level 3-5) with ICD 10 code(s)

**Medication:** E/M code (likely level 3-5) with ICD 10 code(s)

## **Procedure codes for aspiration**

59812 - Treatment of incomplete abortion, any trimester, completed surgically

59820 - Treatment of missed abortion, completed surgically; first trimester

59821 - Treatment of missed abortion, completed surgically; second trimester

59830 - Treatment of septic abortion, completed surgically

59870 - Uterine evacuation and curettage for hydatidiform mole

59100 - Hysterotomy, abdominal (eg, for hydatidiform mole, abortion)

64435 - Paracervical block

59200 - Insertion of cervical dilator

76998-26 - Ultrasound guidance for procedures

76815 – Abdominal ultrasound, pregnant

76817 – Vaginal ultrasound, pregnant

76830 – Vaginal ultrasound, not pregnant

## **Modifiers**

### **E&M's:**

- 24 Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period (complications during the post op period)
- 25 Office visit with procedure on same day (Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualified Healthcare Professional on the Same Day of the Procedure or Other Service)
- 57 Decision for Surgery made within the 90 day global surgical period

### **Procedures:**

- 22 Increased Procedural Services, When the work required to provide a service is substantially greater than typically required.
- 51 Multiple Procedures (lower value charge would normally get this)
- 52 Reduced Services, Under certain circumstances a service or procedure is partially reduced or eliminated at the discretion of the physician or other qualified healthcare professional
- 53 Discontinued Procedure, under certain circumstances, the physician or other qualified

health care professional may elect to terminate a surgical or diagnostic procedure. Due to extenuating circumstances or those that threaten the well being of the patient, it may be necessary to indicate that a surgical or diagnostic procedure was started but discontinued. This circumstance may be reported by adding modifier 53 to the code reported by the individual for the discontinued procedure.

- 58 Staged or Related Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period
- 59 Distinct Separate Procedural Service
- 78 Unplanned Return to the Operating/Procedure Room by the Same Physician or Other Qualified Healthcare Professional Following Initial Procedure for a Related Procedure During the Postoperative Period
- 79 Unrelated Procedure or Service by the Same Physician or Other Qualified Healthcare Professional During the Postoperative Period