

# LEVERAGING USABILITY HEURISTICS FOR ED ORDERSETS

Anthony Rosania, MD, MHA, FACEP
Vice-Chair for Clinical Operations
Rutgers – New Jersey Medical School
Medical Director, ED Observation Services
University Hospital, Newark



## **Disclosures**

## **Order Sets in The ED**

<b>★</b> Orders
ED ADULT SEPSIS/SEPTIC SHOCK INITIAL ORDERS *
Do you need help with antibiotic selection? If yes please see link below. Please review past culture re - EMPIRIC ANTIBIOTIC GUIDE FOR SEPSIS/SEPTIC SHOCK
▼Nursing
▼ NURSING
✓ Saline lock STAT, One time, today at 1300, For 1 occurrence
✓ Monitor patient for hypersensitivity reactions STAT, One time, today at 1300, For 1 occurrence
✓ Cardiac monitoring STAT, UNTIL DISCONTINUED, Starting today at 1300, Until Specified
▼ IV Fluids
Per guidelines suggested Fluid Bolus 30 ml/kg.
▼ IV Fluids
Lactated Ringer's Bolus 30 mL/kg, at 999 mL/hr, ONCE
sodium chloride 0.9 % iv infusion 30 mL/kg, at 999 mL/hr, Intravenous, ONCE
▼Labs
▼Labs
✓ PAIRED VBE WITH REPEAT IN 3 HOURS
✓ Venous Blood Gas With Electrolyte STAT, One time, today at 1300, For 1 occurrence Release to patient: Immediate
✓ Venous Blood Gas With Electrolyte STAT, One time, today at 1600, For 1 occurrence Release to patient: Immediate
✓ CBC With Auto Differential STAT, One time, today at 1300, For 1 occurrence Release to patient: Immediate
Magnesium Serum (MG) STAT, One time, Starting 4/7/23
✓ Comprehensive Metabolic Panel (CMP)  STAT, One time, today at 1300, For 1 occurrence  Release to patient: Immediate
✓ Phosphorus Serum (PHOS)  STAT, One time, today at 1300, For 1 occurrence Release to patient: Immediate
Troponin I (TI) STAT, One time, Starting 4/7/23
D-Dimer (DDI)  STAT One time Starting A/7/23

▼Imaging
▶ Imaging
▼ Consults
▼ Consults
Consult to Patient and Family Support / Palliative Care
☐ Consult to pulmonary/critical care
☐ Consult to surgery trauma/critical care
▼ Medications - Pneumonia
▼ Community Acquired Preferred
Azithromycin IV + Ceftriaxone IV
▼ Healthcare Acquired: Possible Multidrug Resistant Organisms (MRDO) - Preferred Regimen (Including Aspiration Pneumonia)
☐ Vancomycin IV + Zosyn IV
▼ Healthcare Acquired: Possible MDRO - Recent Piperacillin-Tazobactam Therapy For Greater Than 48 Hours
☐ Vancomycin IV + Meropenem IV
Clindamycin IV (Add if suspected Toxic Shock Syndrome TSS)
▼ Severe IgE-Mediated Beta-Lactam Allergy (Anaphylaxis)
Consult to Allergy/Immunology (Page/Call Allergy/Immunology Service).  Consult to Infectious Diseases(Page/Call Infectious Disease Service).
Levofloxacin IV + Vancomycin IV
Consults
▼ Medications - Intra-Abdominal Source
Community Acquired - Preferred Regimen
▶ Healthcare Acquired: Possible Multidrug Resistant Organisms (MDRO)
Healthcare Acquired: Possible MDRO - Recent Piperacillin-Tazobactam Therapy For Greater Than 48 Hours
▶ Severe IgE - Mediated Beta-Lactam Allergy
▼ Medications - Complicated / Severe Clostridium Difficile Infection
Presence of at least one: Shock, ileus, toxic megacolon.
▶ Severe, Complicated C. Difficile Infection
Medications - Urinary Source
Medications - Skin and Soft Tissue (SSTI)
Medications - Febrile Neutropenia (ANC Less Than 500)
Medications - Meningitis
Medications - Unknown Source
Additional Orders
Search for additional order set orders

## **Order Sets In the ED**





1st Law:

Order Sets Should Adhere to The Usability Heuristics

1st Law:

Order Sets Should Adhere to The Usability Heuristics

2<sup>nd</sup> Law:

Order Sets Should Be Phase of Care Agnostic

1st Law:

Order Sets Should Adhere to The Usability Heuristics

2<sup>nd</sup> Law:

Order Sets Should Be Phase of Care Agnostic

3<sup>rd</sup> Law:

1st Law:

Order Sets Should Adhere to The Usability Heuristics\

Jakob Nielson, 1994

Nielsen Norman Group

https://www.nngroup.com/articles/ten-usability-heuristics

## **The Usability Heuristics**



Visibility of System Status



Match Between System & Real World




User Control And Freedom




Consistency And Standards




Error Prevention



Recognition
Rather Than Recall



Flexibility And Efficiency of Use



Aesthetic And Minimalististic Design



Help Users With Errors



Help And Documentation

1st Law:

Order Sets Should Adhere to The Usability Heuristics

2<sup>nd</sup> Law:

Order Sets Should Be Phase of Care Agnostic

## **Order Sets in The ED**

<b>★</b> Orders
ED ADULT SEPSIS/SEPTIC SHOCK INITIAL ORDERS *
Do you need help with antibiotic selection? If yes please see link below. Please review past culture re - EMPIRIC ANTIBIOTIC GUIDE FOR SEPSIS/SEPTIC SHOCK
▼Nursing
▼ NURSING
✓ Saline lock STAT, One time, today at 1300, For 1 occurrence
✓ Monitor patient for hypersensitivity reactions STAT, One time, today at 1300, For 1 occurrence
✓ Cardiac monitoring STAT, UNTIL DISCONTINUED, Starting today at 1300, Until Specified
▼ IV Fluids
Per guidelines suggested Fluid Bolus 30 ml/kg.
▼ IV Fluids
Lactated Ringer's Bolus 30 mL/kg, at 999 mL/hr, ONCE
sodium chloride 0.9 % iv infusion 30 mL/kg, at 999 mL/hr, Intravenous, ONCE
▼Labs
▼Labs
✓ PAIRED VBE WITH REPEAT IN 3 HOURS
✓ Venous Blood Gas With Electrolyte STAT, One time, today at 1300, For 1 occurrence Release to patient: Immediate
✓ Venous Blood Gas With Electrolyte STAT, One time, today at 1600, For 1 occurrence Release to patient: Immediate
✓ CBC With Auto Differential STAT, One time, today at 1300, For 1 occurrence Release to patient: Immediate
Magnesium Serum (MG) STAT, One time, Starting 4/7/23
✓ Comprehensive Metabolic Panel (CMP)  STAT, One time, today at 1300, For 1 occurrence  Release to patient: Immediate
✓ Phosphorus Serum (PHOS)  STAT, One time, today at 1300, For 1 occurrence Release to patient: Immediate
Troponin I (TI) STAT, One time, Starting 4/7/23
D-Dimer (DDI)  STAT One time Starting A/7/23

▼Imaging
▶ Imaging
▼ Consults
▼ Consults
Consult to Patient and Family Support / Palliative Care
☐ Consult to pulmonary/critical care
☐ Consult to surgery trauma/critical care
▼ Medications - Pneumonia
▼ Community Acquired Preferred
Azithromycin IV + Ceftriaxone IV
▼ Healthcare Acquired: Possible Multidrug Resistant Organisms (MRDO) - Preferred Regimen (Including Aspiration Pneumonia)
☐ Vancomycin IV + Zosyn IV
▼ Healthcare Acquired: Possible MDRO - Recent Piperacillin-Tazobactam Therapy For Greater Than 48 Hours
☐ Vancomycin IV + Meropenem IV
Clindamycin IV (Add if suspected Toxic Shock Syndrome TSS)
▼ Severe IgE-Mediated Beta-Lactam Allergy (Anaphylaxis)
Consult to Allergy/Immunology (Page/Call Allergy/Immunology Service).  Consult to Infectious Diseases(Page/Call Infectious Disease Service).
Levofloxacin IV + Vancomycin IV
Consults
▼ Medications - Intra-Abdominal Source
Community Acquired - Preferred Regimen
▶ Healthcare Acquired: Possible Multidrug Resistant Organisms (MDRO)
Healthcare Acquired: Possible MDRO - Recent Piperacillin-Tazobactam Therapy For Greater Than 48 Hours
▶ Severe IgE - Mediated Beta-Lactam Allergy
▼ Medications - Complicated / Severe Clostridium Difficile Infection
Presence of at least one: Shock, ileus, toxic megacolon.
▶ Severe, Complicated C. Difficile Infection
Medications - Urinary Source
Medications - Skin and Soft Tissue (SSTI)
Medications - Febrile Neutropenia (ANC Less Than 500)
Medications - Meningitis
Medications - Unknown Source
Additional Orders
Search for additional order set orders

3<sup>rd</sup> Law:


3<sup>rd</sup> Law:


Order Sets Should Provide Clinical Decision Support

1st Correlate to the 3rd Law...

Clinical Decision Support should not require more cognitive effort than making the decision that it support...

## 3<sup>rd</sup> Law:





## **Order Sets in The ED**

<b>★</b> Orders
ED ADULT SEPSIS/SEPTIC SHOCK INITIAL ORDERS *
Do you need help with antibiotic selection? If yes please see link below. Please review past culture re - EMPIRIC ANTIBIOTIC GUIDE FOR SEPSIS/SEPTIC SHOCK
▼Nursing
▼ NURSING
✓ Saline lock STAT, One time, today at 1300, For 1 occurrence
✓ Monitor patient for hypersensitivity reactions STAT, One time, today at 1300, For 1 occurrence
✓ Cardiac monitoring STAT, UNTIL DISCONTINUED, Starting today at 1300, Until Specified
▼ IV Fluids
Per guidelines suggested Fluid Bolus 30 ml/kg.
▼ IV Fluids
Lactated Ringer's Bolus 30 mL/kg, at 999 mL/hr, ONCE
sodium chloride 0.9 % iv infusion 30 mL/kg, at 999 mL/hr, Intravenous, ONCE
▼Labs
▼Labs
✓ PAIRED VBE WITH REPEAT IN 3 HOURS
✓ Venous Blood Gas With Electrolyte STAT, One time, today at 1300, For 1 occurrence Release to patient: Immediate
✓ Venous Blood Gas With Electrolyte STAT, One time, today at 1600, For 1 occurrence Release to patient: Immediate
✓ CBC With Auto Differential STAT, One time, today at 1300, For 1 occurrence Release to patient: Immediate
Magnesium Serum (MG) STAT, One time, Starting 4/7/23
✓ Comprehensive Metabolic Panel (CMP)  STAT, One time, today at 1300, For 1 occurrence  Release to patient: Immediate
✓ Phosphorus Serum (PHOS)  STAT, One time, today at 1300, For 1 occurrence Release to patient: Immediate
Troponin I (TI) STAT, One time, Starting 4/7/23
D-Dimer (DDI)  STAT One time Starting A/7/23

▼ Imaging
▶ Imaging
▼ Consults
▼ Consults
☐ Consult to Patient and Family Support / Palliative Care
☐ Consult to pulmonary/critical care
☐ Consult to surgery trauma/critical care
▼ Medications - Pneumonia
▼ Community Acquired Preferred
Azithromycin IV + Ceftriaxone IV
▼ Healthcare Acquired: Possible Multidrug Resistant Organisms (MRDO) - Preferred Regimen (Including Aspiration Pneumonia)
☐ Vancomycin IV + Zosyn IV
▼ Healthcare Acquired: Possible MDRO - Recent Piperacillin-Tazobactam Therapy For Greater Than 48 Hours
☐ Vancomycin IV + Meropenem IV
☐ Clindamycin IV (Add if suspected Toxic Shock Syndrome TSS)
▼ Severe IgE-Mediated Beta-Lactam Allergy (Anaphylaxis)
Consult to Allergy/Immunology (Page/Call Allergy/Immunology Service).  Consult to Infectious Diseases(Page/Call Infectious Disease Service).
Levofloxacin IV + Vancomycin IV
Consults
▼ Medications - Intra-Abdominal Source
Community Acquired - Preferred Regimen
▶ Healthcare Acquired: Possible Multidrug Resistant Organisms (MDRO)
▶ Healthcare Acquired: Possible MDRO - Recent Piperacillin-Tazobactam Therapy For Greater Than 48 Hours
Severe IgE - Mediated Beta-Lactam Allergy
▼ Medications - Complicated / Severe Clostridium Difficile Infection
Presence of at least one: Shock, ileus, toxic megacolon.
Severe, Complicated C. Difficile Infection
Medications - Urinary Source
▶ Medications - Skin and Soft Tissue (SSTI)
Medications - Febrile Neutropenia (ANC Less Than 500)
Medications - Meningitis
Medications - Unknown Source
▼ Additional Orders
Q Search for additional order set orders
You can search for an order by typing in the header of this section.

1st Law:

Order Sets Should Adhere to The Usability Heuristics


2<sup>nd</sup> Law:

Order Sets Should Be Phase of Care Agnostic

3<sup>rd</sup> Law:

## **The Laws In Action**

ED Sepsis Order Set
▼ Sepsis Orders
▼ Nursing Orders
O Initial Nursing Orders
▼ Labs & Studies
O Initial Labs and Studies (Pre-checked)
O Add-On Labs and Studies (Not Pre-checked)
▼ IVF Management
○ Initial IVF Orders
▼ Antibiotics - Source Based
○ Unknown/Critically III
○ Respiratory
○ Urinary
○ Intra-abdominal
○ CNS
▼ Antipyretics
○ Antipyretics
▼ Additional Orders
🔎 Search for additional order set orders
You can search for an order by tyning in the header of this section



# **Questions?**