

## Avoidable Imaging Wave II

Malpractice – A Driver of Over-Ordering







#### Presenters



J. Ric Gass, JD



Michael V. Kaplen, Esq.



Kevin Klauer, DO, EJD, FACEP







## Avoidable Imaging Wave II- Webinar



What we think
Is a medical "fact"
Is only a "legal fact"
If the jury believes it to be

Trial is an interplay between the truth and believability.





## Neuroimagery and the Jury


The effect of images beyond proving a physical point

- Is there a "seductive" power of neuroimages on jurors?
  - Is there a persuasive influence of brain images on the perceived credibility of neuroscience data?
  - Articles with a brain image judged more credible than same article with just a bar graph but identical verbiage.
  - Mere presence of neuroscientific information along with psy explanations
    has an undue influential effect on the evaluation of the explanation finding
    it more "satisfying" even when the neuroscience info was totally irrelevant
    to the actual explanation itself
- Use it to enhance your evidence
- <u>www.thejuryexpert.com/2014/08/neuroimagery-and-the-jury/</u> Aug 20, 2014 Ware, Jones, and Schweitzer

## Plf's Lawyers Call TBI The "Silent Epidemic"

#### **ANNUAL NUMBER OF TBIS**

FIGURE 1: Estimated Average Annual Number of Traumatic Brain Injury-Related Emergency Department Visits, Hospitalizations, and Deaths, United States, 2002-2006



Of the 1.7 million TBIs occurring each year in the United States, 80.7% were emergency department visits, 16.3% were hospitalizations, and 3.0% were deaths.

\* Data for this category are not included in this report. See "Limitations" in Appendix B for more information.

Courtesy of Atty Michael V. Kaplan NYC

2/3's ARE FAMILIAR WITH THE TERM "BRAIN INJURY"

THAT'S THE PROBLEM
THEY THINK THEY PIF
UNDERSTAND IT viewpt

- 70% BELIEVE THAT IT IS POSSIBLE TO RECOVER FROM A BRAIN INJURY
  - 20% THINK THAT IT IS PERMANENT

WHEN ASKED TO IDENTIFY
SOMEONE WITH A BRAIN
INJURY THEY IDENTIFY
INDIVIDUALS WITH
PHYSICAL DEFECTS

ONE THIRD OF THE PUBLIC THINKS THAY THEY CAN DETECT A PERSON WITH A BRAIN INJURY MERELY BY OBSERVATION

34%: When people are knocked unconscious, most wake up shortly with no lasting effects

#### **RECOVERY IN ADULTS:**

48.5%: How quickly a person recovers depends mostly on how hard he or she works at recovering

#### **RECOVERY IN CHILDREN:**

89.4%: Children are likely to recover more fully from a brain injury than adults due to the greater plasticity of the young brain

#### The problem with juries and TBI

The concussive effects in football and soccer and parents keeping kids away from those sports

 If you can get a TBI from "heading" a soccer ball aren't the claims in this accident legitimate

# The likely lay person reaction (read juror)

# to whether or not to have an imaging study?

## Would want the CT

- Either to confirm there is no brain injury
- Or to find out there is an injury

#### **Conclusion**

Considering whether or not to image from a trial standpoint is an example of the most important rule in trial:

The Necessity of being able to explain



# CT SCANS IN THE ED AVOIDABLE IMAGING STUDIES?



American College of Emergency Physicians

Michael V. Kaplen, Esq. De Caro & Kaplen, LLP

www.brainlaw.com

Board Certified, American Board of Profession Liability Attorneys-Medical Malpractice Professorial Lecturer in Law The George Washington University Law School

## No One Agrees



#### Clinical Practice Guidelines

Clinical practice guidelines are developed to improve quality of care, decrease discrepancy in practice, and ensure that best evidence is followed

### Establishing the Legal Standard of Care

Q: Periodically, does the American College of Emergency Physicians issue clinical policies to emergency medicine practitioners?

Q: Is it your duty and responsibility, as a member of the American College of Emergency Physicians, to keep abreast of these clinical policies?

Q: Did you ever review its clinical policies for "Neuroimaging in Adult Traumatic Brain Injury, in the Acute Setting"?

### Establishing the Legal Standard of Care

Q: Are the clinical policies issued by the American College of Emergency Physicians intended to assist emergency department physicians in clinical decision making, describing generally accepted practices for determining when to order a CT Scan for adult patients in the ED who present with mild traumatic brain injury?

Q: Do you agree that this policy statement sets forth the applicable standard of practice in the year 2017 for determining when to order a CT Scan for adult patients in the ED who present with mild traumatic brain injury?

## **Choosing Wisely**

"Physicians can safely identify patients with minor head injury in whom it is safe to not perform an immediate head CT by PERFORMING A THOUROUGH HISTORY AND PHYSICAL EXAMINATION."

American College of Emergency Physicians--2013

# Importance of Accurate and Complete Medical Records

Electronic Medical Records—cut and paste Inaccuracies are perpetuated in chart

If the institution and the provider can't prepare an accurate record, how can we trust the care that was administered to the patient?

#### Documentation is Essential

Hospital ED record must be accurate and complete

Charting by exception

If it wasn't recorded, it wasn't done.

#### **Audit Trail**

- □ Altering or changing a record can be determined with accuracy
- When you saw patient can be determined with accuracy
- □ Where and when you wrote your note can be determined with accuracy
- Pop-up windows and pop-up warnings can be discovered

## What Will It Take To Lose My Case?



#### Determining Loss of Consciousness

Was there a loss of consciousness?

How is loss of consciousness determined?

Do you ask the patient? How would they know? How would you phrase the question?

# If Loss of Consciousness or Post Traumatic Amnesia:

#### CT Scan if:

- □ Headache---How severe? Where? Time from event?
- □ Vomiting Time from event?
- □ >60 years of age
- Drug or alcohol intoxication How determined?
- □ Deficits in short term memory How determined?
- □ Physical evidence of trauma above clavicle
- **□** Post traumatic seizure

#### NO MENTION OF ACCIDENT HISTORY!

# If No Loss of Consciousness or Post Traumatic Amnesia

#### CT Scan if:

- □ Focal neurologic deficit
- □ Vomiting: Time from event? Extent?
- □ >65 years of age
- Physical signs of basilar skull fracture --battle sign(s)
- □ GCS less than 15: Who did the scoring?
- Dangerous Mechanism of Injury--Importance of History
- ejection from motor vehicle
- pedestrian struck
- fall > 3 feet

#### ED Is Wrong 56% of the Time!

Emergency room physicians fail to accurately diagnose a mild traumatic brain injury 56% of the time despite the patient having the symptoms that meet definition

Most likely to diagnose when there was a loss of consciousness

Accuracy of Mild Traumatic Brain Injury Diagnosis Arch Physical Med Rehabilitation 2008

#### What About Headaches?

A low threshold should be maintained for ordering CT in ED Patients with headaches:

Unusual quality
Headache alone or with other symptoms
Improving? Worsening?

Relief by analgesic does not reliably exclude a serious cause

### Differential Diagnosis


Q: Does the standard of practice in emergency medicine requires you to perform a differential diagnosis?

Q: Did you make your diagnosis without performing a differential analysis?

Q: When making a differential diagnosis, do you want to weigh the relative risk and dangers of each of the conditions if left untreated?

Q: If it is part of the differential diagnosis and it is life threatening to the patient, then do you want to rule it out?

## If only it was so easy



## Thank you

Michael V. Kaplen, Esq.
De Caro & Kaplen, LLP
www.brainlaw.com
michael@brainlaw.com
(914) 747 4410









Questions? Contact the E-QUAL team at <a href="mailto:equal@acep.org">equal@acep.org</a>